

A Modest Approach For Load Balancing Using Advance Genetic Approach

Purva Upadhyay mtech*, Dr. Manmohan singh, Associate professor**

Department of computer technology and application ,RKDF school of engineering

purva.upadhyay05@gmail.com*

Abstract:

Cloud computing is technique used for computing whereby shared resources, software and information are providing to computers and additional devices on demand completed the internet. Server merging plays as significant role in decreasing the cost cloud server. In this paper we proposed advance technique for load balancing in cloud computing environment using genetic algorithm. Although, the experiment mentioned above shows that our algorithm in this paper. Also, able to understand the evolution and performance factors (response time, cost) of the algorithm with dissimilar probability for the GA operators and compare the round robin algorithm, equally distribute current execution and throttled.

Keywords: Genetic algorithm, Cloud computing, load balancing.


I. INTRODUCTION

Cloud computing is a concept which signifies the support among numerous physical machines and the services that offers influential services to clients. The simple idea after cloud computing is distributed computing and grid computing. It provides services to its users through internet that may be hardware/software ,infrastructure, platform.

The size of data is exponentially increasing with the use of internet. Cloud enables to utilize high end resources while building an application without worrying about it's infrastructure. These arrangement of cloud environment enables it's users to build applications without worrying about hardware ,security, backup. Organizations are scaling using csp services as it enables application to use huge amount of processor power, managing tools, and offcourse user's from different geographical locations can use applications.

Cloud environment enables it's user's to use resources that they really don't own but can use them on paying for what amount used. Here it can be used as software, infrastructure, platform. applications are widely build by using cloud services when thousands of request's are coming then more servers are added to handle the request's . now here comes the need of load balancing. Suppose there are N number of servers available then to balance the load evenly between them is the job of load balancer. The server's are actually carrying the load and requests are the things they need to process. algorithms effort well to balance the load and to enhance resource utilization amongst datacenters. The fore most effort area

of researchers are to expand parameters like response time but they are fail to address issues cost consumption, VM migration rate and security. In this work researchers can explore below challenges. the biggest challenges is in what way you determine thousands of requirements coming dynamically from the users.



Fig(a) illustrates enviornemnt of cloud computing

To manage such requests proficiently, there is a requirement to allocate the load consistently between the cloud nodes. To accomplish this aim, numerous load balancing technique have been projected in the past years. In cloud computing, load can be controlled in two dissimilar methods. Load sharing and load balancing.

In load sharing, load is disseminated between numerous data centers, but not consistently. In load balancing, capability consistently divides between numerous datacenters in instruction to progress performance and varieties the process earlier. Numerous algorithms have been proposed using which workload can be distributed correspondingly with minimum response time.

The server merging distribution problem is occupied as advance genetic heuristic algorithm is proposed for addressing the limited server resource distribution problem. The investigational outcomes illustration the high performance of the proposed method equalled with the existing method.

The rest of the paper is prepared as follows:

Section II- presents the related work based on structure of GA,

Section III -defines the proposed methodology

Section IV -analyses the experimental consequences and in ,

Section V -we will discuss the conclusions.

II. RELATED WORK

Rani, E. et al[1]in this research workproposed important study on the purposes of CloudSim simulator and affords tabulated view of numerous scheduling algorithms used in cloud environment through their parameters and consequences.

Wang, et al[2]In this research work, a MPGA-based load balancing undertaking scheduling strategy is accessible and its good scheduling performance is proved by the simulation investigates. The MPGA-based scheduling approach adopts min-min and max-min algorithm to prepare part of the populations and then usage the Metropolis criterion to evade local optimum.

Kaur, K et al[3]In this work, SLA is intended, by allowing for no. of iterations as well as for no. of relocations of VMs over amount of host machines. The evaluation of ACO-VMM) and the proposed algorithm has been completed on the cost that is the collective factor of live migrations.

Dhivya, D et al[4] In the work system Fibonacci technique is used where the specified video is divided into quantity of chunks stored in server in a distributed method.The chunk size increasinglyimproved to reduce. Delay and expand the performance. The cluster heads will monitor entirely the distribution server loads and customerrequest The Server offline problem similarlyaccomplished using cluster head. This is not allow an direct communication amongst the client and server which will decrease the loading and buffering time.

Jain, P., et al[5] The objective of load balancing algorithms is to expand the resource exploitation, energy convertible and deduction of carbon emission. In this research work, surveyed the nature stimulated load balancing algorithm such as Particle Swarm Optimization (PSO), Ant Colony Optimization (ACO), Artificial Bee Colony (ABC), and Genetic Algorithm (GA), BAT. Maineffort in on Resource Utilization and Energy Saving.

Cai, Z., et al[6]proposeddevelopment a demand driven task scheduling model and present an approximationtechnique to predict warranty whole time of responsibilities in wireless network. An enhanced genetic algorithm expending 2D chromosome (2DCGA) is offered to tackle multi-objective task scheduling. They performing Simulation experiments andevaluationwith Markov model, estimationtechniquehave higher accuracy of prediction and additional reasonable prediction outcomes of probability of task scheduling failure. 2DCGA has respectable performance for task scheduling. Afterevaluation with IGA, it has reduced makespan and lower deviation of load. Independent priority can be conversantprecisely by weights of fitness functions. It

variations 2DCGA suitable for multiobjective optimization.

III. PROPOSED METHODOLOGY

In this research work to perform the evaluation and proposed advance Genetic algorithm essentially used for feature optimization affording to the requirement of load balancing in virtual machines(VM). That'scontinuously offer optimal resolutions and resolve computation difficulties by subsequent the parameters like crossover, mutation, population size, selection function and fitness function. Our proposed advance Genetic algorithm based approach delivers the consequence on the basis of fitness function..Genetic algorithm is mostly used to resolve a problem. The best example for Genetic algorithm technique is finding the short rout in traveling problem. It has unique rule the visitor can travel completely the routes among source & destination. It will diminution user time and cost is the dynamic rule. It is comparable to cloud service, the customer can store cloud data through optimization of space, time & cost etc. The fore most purpose of the our proposed approach is an efficient problem resolving method. Authority merely gives for the authorized user. In Cloud computing environment mixed resources are accessible as services by producing Virtual Machines(VM), these resources achieved in improved technique through scheduling using GA. Scheduling is a important in Cloud environment for efficient utilization. In this research work round robin algorithm, equally distribute current execution and throttled numerous scheduling algorithms of cloud environment based on different scheduling parameters like Scheduling factors, resource consumption, response time, time, and consequences have been compared and analysed. There are convinced disadvantages in particular scheduling algorithm, comparable several of algorithms minimize response time but lacks in utilization of resources, increases cost and waiting time in case of load imbalance on Virtual Machines(VM) thus requirement of novel algorithms which considers like utilization, consistency and obtainability. The Above Experiments result illustrations the increase or decrease in response time depending on number of tasks and policy used throughoutdistribution of resources. The limitation of space shared policy is no extra space is assigned at run time and in time collective policy average waiting time increased since resources are not unconstrainedtill task completed.Proposed work can be instigated with numerous parameters for instanceresponse Time with proliferation in load on machines, utilization of Resources in cloud Computing Environment.

Phase I: in the first step to Initialization of VM according to need and used the cloudlets.

Phase II: Each virtual machine (VM)additional with features corresponding selecting particular virtual machinesID, quantity of Processors, Memory. The hash table is used for implanting ID, measurement, and file size.

Phase III:Compute the hash table to virtual machines (VM)using advance genetic algorithm

Phase IV:Assign the hash table to the VMto manage the need for resource requirement Applying advance genetic algorithm,

Phase V: Preforming the simulation execution the cloud analytics Simulation.

Phase VI:compute the performance parameters

Response time and allowing to independent functions.

Phase VII. Evaluation the consequence by comparing the parameters of dissimilar algorithm (round robin algorithm, equally distribute current execution and throttled) and our proposed algorithm.

Our proposed a load balancing approach that not merely growths the performances of the cloud sever but similarly supports the provider to generate advanced revenue. Subsequently cloud is a "pay as you use" category of service so user pay merely for the used resources so if the users use resources for aadditional time will pay higher. It is a most imported concepts of approach. This approach, initiallydetermine those users who use the resources for comparatively further amount of time and provides significant services to them. Our proposed approach similarly migrate the virtual machine(VM) to grip load balancing condition.

IV. IMPLEMENTATION

In this research to provides straightforward analysis on CloudSim Simulator, and contains simple experiments to study to use it in Cloud Environment. In Cloud computing environment mixed resources are accessible as services by producing Virtual Machines(VM), these resources achieved in improved technique through scheduling using GA.



Fig (b)presenting gui for cloudsim analyst.

It shows – userbases and datacenters

Userbase-are users who are requesting services from datacentre

Datacentre-are centre of data across the globe.

Regions- the world is divided into mainly 6 regions.

Configure simulation-enables to add user base and datacentres

S.No	UserBase	Region	Onlineusers duringpeakhrs.	Onlineusersduringoff-peak
1	UB1	1	1000	100

Table 1 : Configuration of User Bases

Name	Region	Arch	OS	VMM	Cost per VM \$/Hr	Memory Cost \$/s	Storage Cost \$/s	Data Transfer Cost 4/Gb
DC1	1	x86	Linux	Xen	2	0.05	0.1	0.1
DC2	1	x86	Linux	Xen	1	0.05	0.1	0.1
DC3	2	x86	Linux	Xen	1	0.05	0.1	0.1
DC4	2	x86	Linux	Xen	1	0.05	0.1	0.1
DC5	4	x86	Linux	Xen	1	0.05	0.1	0.1

Table 2 : Configuration of Data Centers:

Sample data of userbases taken for experiment is represented in following table A

name	region	Request per user Per hr	datasize	Peak Hours Start (gmt)	Peak hours End (gmt)	Avg Peak users
UB1	3	40	200	3	9	100
UB2	2	60	300	3	9	100
UB3	1	80	100	2	9	100
UB4	4	90	600	1	9	100
UB5	5	60	500	5	9	100

Sample data of datacentres taken for experiment is in following table B

Data centre	VMS	Request size	Memory size	BW
DC1	5	10000	512	1000
DC1	5	10000	512	1000
DC1	5	10000	512	1000
DC1	5	10000	512	1000
DC1	5	10000	512	1000
DC1	5	10000	512	1000

Taking into account the above mentioned sample data for userbase and data centres, the implementation is performed by executing the sample data 4 times each one for round robin, esce, throttled and our proposed algorithm.



V. RESULT AND ANALYSIS

The proposed approach to simulated using cloud analytic and evaluation with three similar approach(round robin algorithm, equally distribute current execution and throttled) using various scenarios. To used the Running environment includes cloud sim on a 64-bit system with an Intel Core i3 processor and 4GB DDR3 RAM. the important parameters used during simulation and for evaluation of the proposed approach with the (round robin algorithm, equally distribute current execution and throttled) labelled in the connected works section.CharacteristicallyCloudSim and Cloud Analyst are the simulation tools which are used to produce the cloud environment. CloudSim and Cloud Analyst together are written in JAVA.Our proposed approach also uses the Cloud Analyst for evaluating the performance. To calculate the performance it is compared with other existing scheduling algorithms named as (round robin algorithm, equally distribute current execution and throttled).

Algorithm name	Average (ms.)	Minimum(ms.)	Maximum(ms.)
Round robin			
Overall response time	300.73	231.60	373.67
Data centre Processing time	0.37	0.02	0.67
ESCE			
Overall response time	300.14	229.62	373.69
Data centre Processing time	0.37	0.02	0.67
Throtteled algorithm			
Overall response time	300.14	229.62	373.69
Data centre Processing time	0.37	0.02	0.67
Proposed algorithm			
Overall response time	300.13	229.60	367.61
Data centre Processing time	0.37	0.02	0.67

VI. CONCLUSION

Cloud Computing is a enormous approach and load balancing significant a role in case of Clouds. There is a huge scope of improvement in this area. We have design and implanting merelytwo separable load scheduling algorithms this is used on clouds, but there are still additional approaches that can be useful to balance the load in clouds. The performance of the specified algorithms can similarly be improved by varying

dissimilar parameters. We essential to gather more testing data, particularly particular industry data to test our algorithm. Our approach work for all the servers are in healthy condition and they have identicalperformance when allocating with data. Then in detail, dissimilar servers can have dissimilar performance its parameter can be used for consideration in our future work, and we will take do additional work and progress our algorithm.it can be conclude that the proposed approach is improved for the moderntechnology. This research can do enhanced load balancing with the support of advance Genetic Algorithm in the cloud network.

Reference

- [1]Rani, E., & Kaur, H. (2017). Study on fundamental usage of CloudSim simulator and algorithms of resource allocation in cloud computing. 2017 8th International Conference on Computing, Communication and Networking Technologies (ICCCNT). doi:10.1109/icccnt.2017.8203998
- [2]Wang, B., & Li, J. (2016). Load balancing task scheduling based on Multi-Population Genetic Algorithm in cloud computing. 2016 35th Chinese Control Conference (CCC). doi:10.1109/chicc.2016.7554174.
- [3]Kaur, K., & Kaur, A. (2016). A hybrid approach of load balancing through VMs using ACO, MinMax and genetic algorithm. 2016 2nd International Conference on Next Generation Computing Technologies (NGCT). doi:10.1109/ngct.2016.7877486
- [4] Dhivya, D., &Gowrisankar, U. (2015). Load balancing in multimedia system using generic and Fibonacci approach. 2015 IEEE 9th International Conference on Intelligent Systems and Control (ISCO). doi:10.1109/isco.2015.7282334.
- [5] Jain, P., & Sharma, S. K. (2017). A systematic review of nature inspired load balancing algorithm in heterogeneous cloud computing environment. 2017 Conference on Information and Communication Technology (CICT). doi:10.1109/infocomtech.2017.8340645
- [6] Cai, Z., & Chen, C. (2014). Demand-driven task scheduling using 2D chromosome genetic algorithm in mobile cloud. 2014 IEEE International Conference on Progress in Informatics and Computing. doi:10.1109/pic.2014.6972393.
- [7] Pandey, M., &Verma, S. K. (2017). Cost based resource allocation strategy for the cloud computing environment. 2017 8th International Conference on Computing, Communication and Networking Technologies (ICCCNT). doi:10.1109/icccnt.2017.8204170.
- [8] Priyatharsini, V., &Grahakshmi, S. (2017). Load balancing with multiple cloud services using PSO techniques. 2017 IEEE International Conference on Electrical, Instrumentation and Communication Engineering (ICEICE). doi:10.1109/iceice.2017.8191913.

[9] Pop, F., Cristea, V., Bessis, N., & Sotiriadis, S. (2013). Reputation Guided Genetic Scheduling Algorithm for Independent Tasks in Inter-clouds Environments. 2013 27th International Conference on Advanced Information Networking and Applications Workshops. doi:10.1109/waina.2013.206

[10] Zha, J., Wang, C.-D., Chen, Q.-L., Lu, X.-Y., & Lai, J.-H. (2015). Server Consolidation Based on Hybrid Genetic Algorithm. 2015 Ninth International Conference on Frontier of Computer Science and Technology. doi:10.1109/fcst.2015.43

[11] U. Bhoi, P. N. Ramanuj, "Enhanced max-min task scheduling algorithm in cloud computing", International Journal of Application or Innovation in Engineering and Management (IJAIEM), ISSN, 2013, pages 2319--4847

[12] H. Chen, F. Wang, N. Helian, G. Akanmu, "User-priority guided min-min scheduling algorithm for load balancing in cloud computing", Parallel Computing Technologies (PARCOMPTECH), 2013 National Conference on, 2013

[13] Y. Hu, R. Blake, D. Emerson, "An optimal migration algorithm for dynamic load balancing", Concurrency: Practice and Experience 10 (6)(1998) pages 467-483

[14] S. K. Garg, C. S. Yeob, A. Anandasivam, and R. Buyya, "Environment-conscious scheduling of HPC applications on distributed Cloud-oriented data centers", Journal of Parallel and Distributed Computing, Elsevier, Vol. 70, No. 6, May

2010, pages 1-18.

[15] Jitendra Bhatia, Tirth Patel, Harshal Trivedi, Vishrut Majmudar, "HTV Dynamic Load Balancing Algorithm for Virtual Machine Instances in Cloud", 18, Dec 2012, Pages 15-20 IEEE.

[16] Dr. Hemant S. Mahalle, Prof. Parag R. Kaveri, Dr. Vinay Chavan, "Load Balancing On Cloud Data Centres", International Journal of Advanced Research in Computer Science and Software Engineering, Vol. 3, Issue 1, January 2013.