

Load balancing in Cloud computing using cloudSim

Aparna Chaurasia, Prof. Kapil Sahu

M.Tech Scholar, Assistant Prof. & HOD

Department of Computer Science & Engineering, SIMS Indore, India

aparna.10aug@gmail.com, sahukapil@gmail.com

Abstract

Load balancing in the cloud-computing environment has an important impact on the performance. Good load balancing makes cloud computing more efficient and improves user satisfaction. Load balancing with cloud computing provides a good efficient strategy to several inquiries residing inside cloud computing environment set. complete balancing must acquire straight into accounts two tasks, one will be the resource provisioning as well as resource allocation along with will be task scheduling throughout distributed System. Round robin algorithm can be via far the Easiest algorithm shown to help distribute populate among nodes. Because of this reason it is frequently the first preference when implementing a easy scheduler. One of the reasons for it being so simple is that the only information required is a list of nodes. The proposed algorithm eliminates the drawbacks of implementing a simple round robin architecture in cloud computing by introducing a concept of assigning different time slices to individual processes depending on their are priorities.

Keywords: Cloud Computing, load balancing, Virtual Machine, Round Robin, Datacenter Broker, Host, Cloudlets and Cloud Coordinator.

Introduction:

Load balancing in the cloud computing environment has an important impact on the performance. Good load balancing makes cloud

computing more efficient and improves user satisfaction. This article introduces a better load balance model for the public cloud based on the cloud partitioning concept with a switch mechanism to choose different strategies for different situations. The algorithm applies the game theory to the load balancing strategy to

improve the efficiency in the public cloud environment. A typical Cloud model applying CloudSim involves after four entities Datacenters, Hosts, Virtual m/c in addition application form along with system Software.

1. Datacenter: Datacenter is set of host. This can be responsible regarding managing virtual models (VMs) (e.g., VM provisioning). It behaves similar to a IaaS provider from finding requests with regard to VMs via brokers.

2. Datacenter Broker: This class represents the broker acting on behalf of a user. It modifies a couple of mechanisms: ones mechanism for submitting VM provisioning requests to be able to data centers and mechanism with regard to submitting tasks to VMs.

3. Host: Host executes actions regarding management of VMs (e.g., creation along with destruction) and update task processing to be able to VMs. a good host possesses the defined policy to provisioning memory, processing elements, and also bandwidth to virtual machines. a good host is associated for you to the data center. The idea can host virtual machines.

4. VM: This represents the software implementation of a machine that executes applications called virtual machine (VM) which functions to be a physical machine. Each virtual machine divides your own resources received by the host among tasks working from it.

5. Cloudlet: The cloudlet class can be also known as being a task. CloudSim represents your complexity of the application in relation to their computational requirements. the class is managed through the scheduling policy that will be implemented Inside Datacenter Broker Class.

Problem Domain:

In Current Scenario, with an environment of cloud the task is divided and disseminated into same size of small jobs i.e. Cloudlets. These Cloudlets as well as Virtual Machines are scheduled according to the various scheduling policy for e.g. FCFS, Round Robin etc. Generally in Cloud Computing scenario user submit the task to be performed / executed. Cloud Coordinator (CC) divides the task into equal sized cloudlets and passes it to DataCenter (DC). Normally it takes a lot of time because the cloudlets are processed one at a time in FCFS manner as and when they reach to VM. VM executes the cloudlets present in the queue as they reach the VM's. Basically this default job scheduled policy is extremely Time- Consuming, Cost insensitive and inefficient.

Aim

Our aim is implement Round Robin with Priority scheduling policy for VM using Cloudsim3.0.we will also implement combination of load balancing algorithms like Round-Robin with priority and less resources first. This synopsis aims towards the establishment of performance qualitative analysis on existing VM load

balancing algorithm and then implemented in CloudSim and java language.

Objective:

In CloudSim3.0 normally overriding two classes VM Scheduler Space Shared and VM Scheduler Time shared we can implement FCFS and Round Robin scheduling policy respectively. But here we may do same thing using overriding few Classes like Datacenter, Datacenter Broker, Host, Cloudlet, Circular Host, Round Robin, V M Allocation Policy etc.

Existing System:


Cloud computing is efficient and scalable but maintaining the stability of processing so many jobs in the cloud computing environment is a very complex problem with load balancing receiving much attention for researchers. Since the job arrival pattern is not predictable and the capacities of each node in the cloud differ, for load balancing problem, workload control is. Crucial to improve system performance and maintain stability. Load balancing schemes depending on whether the system dynamics are important can be either static or dynamic. Static schemes do not use the system information and are less complex while dynamic schemes will bring additional costs for the system but can change as the system status changes. A dynamic scheme is used here for its flexibility.

There are three types of VM Load Balancer that is Round Robin, Throttled and active monitoring load balancing algorithms.

Round Robin Load Balancer:-


It is one of the simplest scheduling techniques that utilize the principle of time slices. Here the time is divided into multiple slices and each node is given a particular time slice or time interval i.e. it utilizes the principle of time scheduling. Each

node is given a quantum and its operation. The resources of the service provider are provided to the requesting client on the basis of time slice.




Throttled Load Balancer (TLB)-

This algorithm ensures that pre-defined number of cloudlets is allocated to a single VM at any given time. If there are more request groups are present than the number of available VM's at data centre allocate incoming request in queue basis until the next VM becomes available.



Active Monitoring Load Balancer (AMLB)-

The Active Monitoring Load Balancer maintains information about each VM's and the number of request currently allocated to which VM when a request is allocate a new VM arrives. If there are more than one VM, the first identified is selected. AMLB returns the VM id to the data centres controller. The data centres controller send the request to the VM identified by that id. The data centre controller notifies the AMLB to new allocation and cloudlets is sent to it.



CLOUDSIM

CloudSim is the many efficient tool you can use with regard to modeling regarding Cloud. during your current lifecycle of an Cloud, CloudSim allows VMs for you to be managed coming from hosts that will inside turn are usually managed by datacenters.




Fig. CloudSim Architecture

CloudSim offers architecture inside four uncomplicated entities. these types of entities offer consumer to set-up the basic cloud computing environment as well as measure your effectiveness involving fill up Balancing algorithms.. Datacenters entity features the responsibility of providing Infrastructure level solutions for the Cloud Users. They act as a home to help a lot of Host Entities or maybe a lot of instances hosts' entities aggregate to help application form the solitary Datacenter entity. Hosts with Cloud are usually Physical Servers

The idea have pre-configured processing capabilities. Host is actually responsible regarding providing Software level SERVICE towards Cloud Users. Hosts have their particular storage and memory. Processing features regarding hosts is usually expressed throughout MIPS (million instructions per second).

Proposed System:

We will implement combination of load balancing algorithms like Round-Robin with priority and fewer resources first. And will produce better result with existing system because in round robin algorithm not consider priority factor or less resources first at the time of load balancing. And also compare proposed algorithm with existing load balancing algorithm like FCFS, Round Robin and central queue.

Cloudlets	St at us	Data cent er	V M	FCF S (tim e)	Roun d- Robi n	Round -Robin with Less Resour ce First *propos e
Tas k1						
Tas k2						
Tas k3						
Tas k4						
Tas k5						

Parameters

- User
- Cloudlet
- Datacenter
- Virtual Machine Manager or VM Manager

(VMM)

- VMM creates the VM on the basis of resources
- Virtual Machine (VM)
- Resource Provisional (RsP)
- Resource Provider or Resource Owner (RP)

CONCLUSION

Cloud Computing along with research challenges in load balancing. It also focus on merits and demerits of the cloud computing. Major thrust is given on the study of load balancing algorithm, followed by a comparative survey of these above mentioned algorithms in cloud computing with respect to stability, resource utilization, static or dynamicity, cooperative or non-cooperativeness and process migration.

REFERENCES:

- [1] Kaur s and Supriya Kinger2, "Analysis of Load Balancing Techniques in Cloud Computing", International Journal of Computers & Technology, volume 4, No. 2, March- April 2013, pg 737- 741.
- [2]. Pooja and Mishra2, "Analysis of Variants in Round Robin Algorithms for Load Balancing in Cloud Computing", (IJCSIT) International Journals of Computer Science and Information Technologies, Volume 4 (3), 2013, pg. no. 416- 419.
- [3]. Kunal Mahurkar1, Shraddha Katore2 and Suraj Bhaisade3, Pratikawale4, "Reducing Cost of Provisioning in Cloud Computing", International Journal of Advance in Computer Science and Cloud Computing, Volume- 1, Issue- 2, nov.- 2013, pg. 6- 8.
- [4]. Dr. Rakesh Rath1, Vaishali Sharma2 and Sumit Kumar Bole3, "Round Robin Data Center Selection in Single Region for Service Proximity Service Broker in Cloud Analyst" , International Journal of Computer & Technology, Volume 4 no. 2, March- April 2013, pg. no. 254- 260.

[5]. Bhatiya Wickremasinghe1, Rodrigo N. Calheiros2and Dr. Rajkumar Buyya3, “CloudAnalyst: A CloudSim- based VisulModeller for Analysing Cloud Computing Environments and Applications”, IEEE Computer Society, 2010, pp. 446-452.

[6]. Pooja Samal1 and Pranati Mishra2, “Analysis of Variants in Round Robin Algorithms for Load Balancing in Cloud Computing”, (IJCSIT) International Journals of Computer Science and Information Technologies, Volume 4 (3), 2013, pg. no. 416- 419.

[7]. Kunal Mahurkar1, Shraddha Katore2 and Suraj Bhaisade3, Pratikawale4, “Reducing Cost of Provisioning in Cloud Computing”, International Journal of Advance in Computer Science and Cloud Computing, Volume- 1, Issue- 2, nov.- 2013, pg. 6- 8.

[8]. Dr. Rakesh Rathi1, Vaishali Sharma2 and Sumit Kumar Bole3, “Round Robin Data Center Selection in Single Region for Service Proximity Service Broker in Cloud Analyst”, International Journal of Computer & Technology, Volume 4 no. 2, March- April 2013, pg. no. 254- 260.

[9]. Bhatiya Wickremasinghe1, Rodrigo N. Calheiros2and Dr. Rajkumar Buyya3, “CloudAnalyst: A CloudSim- based VisulModeller for Analysing Cloud Computing Environments and Applications”, IEEE Computer Society, 2010, pp. 446-452.

[10]. JaspreetKaur, “Comparison of load balancing algorithm in a Cloud”, International Journal of Engineering Research and Applications (IJERA), vol. 2, Issue 3, May- June 2012, pp. 1169- 1173.

[12]. Syed Tauhid Zuhari1, Tamanna Shamrin2 and Rusia Tanbin3, Firoj Mahmud4, “An Efficient Load Balancing Approach in Cloud Environment by using Round Robin Algorithm”, International Journal of Artificial and Mechatronics, volume 1, issue 5, 2013, pp 96-99.

[13]. B. Santosh Kumar1 and Dr. Latha Parthiban2, “An Implementation of Load Balancing Policy for Virtual Machines Associated with a Data Centre”, International Journal of Computer Science & Engineering Technology (IJCSET), volume 5 no. 03, March 2014, pp. 253- 261.

[14]. Sonika Matele1, Dr, K James2 and Navneet Singh3, “A Study of Load Balancing Issue Among Multifarious Issues of Cloud Computing Environment”, International Journals of Emerging Technolog Computational and Applied Science (IJETCAS), volume 13- 142, 2013, pg. 236- 241.

[10]. Subasish Mohapatra1, Subhadarshini2 and K. Smruti Rekha3, “Analysis of Different Varients in Round Robin Algorithms for Load Balancing in Cloud Computing”, International Journal of Computer Application, Volume 69- no. 22, may 2013, pp. 17-21.

[15]. DrHemant S. Mahalle1, Prof Parag R. Kaver2 and Dr. Vinay Chavan3, “Load Balancing on Cloud Data Centres”, Internatinal Journal of Advanced Reserch in Computer Science and Software Engineering, volume 3, issue 1, January 2013, pp. 1- 4.

[16]. Randles1, M Lamb2 and Taleb Bendiab3, “A Comparative Studyinto Distributed Load Balancing Algorithm for Cloud Computing”, Advanced Information Networking and Application Workshop (WAINA) 2010.